

別添 2 窓ガラス清掃作業基準表

各設置場所については、「参考資料 3 建具表」を参照すること。

● Y : ●回/年

| 設置箇所 | | 建具符号 | 寸法 (mm) | | | 数量 | 面積 (㎡) | 清掃頻度 | 網戸設置箇所 |
|------|---|---------|---------|---|-------|----|--------|------|--------|
| 棟 | 階 | | W | × | H | | | | |
| 児 | 1 | AD-101 | 6,610 | × | 2,960 | 1 | 19.6 | 2Y | ○ |
| 児 | 1 | AD-102 | 4,940 | × | 2,960 | 1 | 14.6 | 2Y | |
| 児 | 1 | AD-102A | 4,840 | × | 2,905 | 1 | 14.1 | 2Y | |
| 児 | 1 | AD-103 | 4,560 | × | 3,557 | 1 | 16.2 | 2Y | ○ |
| 児 | 1 | AD-104 | 2,307 | × | 2,967 | 1 | 6.8 | 2Y | |
| 児 | 1 | AD-105 | 5,500 | × | 2,970 | 1 | 16.3 | 2Y | |
| 児 | 1 | AD-106 | 2,685 | × | 2,987 | 1 | 8.0 | 2Y | |
| 児 | 1 | AD-107 | 2,262 | × | 2,967 | 1 | 6.7 | 2Y | |
| 児 | 1 | AD-108 | 2,262 | × | 2,957 | 1 | 6.7 | | |
| 児 | 1 | AD-109 | 2,087 | × | 2,967 | 1 | 6.2 | 2Y | |
| 児 | 1 | AD-110 | 2,718 | × | 2,957 | 1 | 8.0 | 2Y | |
| 児 | 1 | AD-111 | 1,250 | × | 2,000 | 1 | 2.5 | 2Y | |
| 児 | 1 | AD-112 | 1,200 | × | 2,957 | 1 | 3.5 | 2Y | |
| 児 | 1 | AD-113 | 700 | × | 2,000 | 1 | 1.4 | | |
| 児 | 1 | AD-113A | 700 | × | 2,000 | 1 | 1.4 | | |
| 児 | 1 | AD-114 | 4,600 | × | 2,000 | 1 | 9.2 | | |
| 児 | 1 | AD-115 | 3,370 | × | 2,957 | 1 | 10.0 | 2Y | |
| 児 | 1 | AD-116 | 1,200 | × | 2,097 | 1 | 2.5 | 2Y | |
| 児 | 1 | AW-101 | 4,740 | × | 2,860 | 2 | 27.1 | 2Y | |
| 児 | 1 | AW-102 | 4,740 | × | 2,860 | 1 | 13.6 | 2Y | |
| 児 | 1 | AW-103 | 4,940 | × | 2,060 | 1 | 10.2 | 2Y | ○ |
| 児 | 1 | AW-104 | 4,940 | × | 2,730 | 1 | 13.5 | 2Y | ○ |
| 児 | 1 | AW-105 | 4,940 | × | 2,060 | 2 | 20.4 | 2Y | ○ |
| 児 | 1 | AW-105A | 1,600 | × | 2,060 | 1 | 3.3 | 2Y | ○ |
| 児 | 1 | AW-106 | 2,357 | × | 2,060 | 1 | 4.9 | 2Y | ○ |
| 児 | 1 | AW-107 | 4,940 | × | 2,060 | 1 | 10.2 | 2Y | ○ |
| 児 | 1 | AW-108 | 4,940 | × | 1,360 | 1 | 6.7 | 2Y | ○ |
| 児 | 1 | AW-108A | 4,790 | × | 1,360 | 1 | 6.5 | 2Y | ○ |
| 児 | 1 | AW-109 | 1,600 | × | 1,360 | 2 | 4.4 | 2Y | ○ |
| 児 | 1 | AW-109A | 1,600 | × | 1,360 | 1 | 2.2 | 2Y | ○ |
| 児 | 1 | AW-110 | 7,840 | × | 1,360 | 1 | 10.7 | 2Y | |
| 児 | 1 | AW-111 | 4,940 | × | 760 | 1 | 3.8 | 2Y | |
| 児 | 1 | AW-112 | 4,740 | × | 760 | 1 | 3.6 | 2Y | |
| 児 | 1 | AW-113 | 4,370 | × | 760 | 1 | 3.3 | 2Y | |
| 児 | 1 | AW-114 | 4,840 | × | 2,060 | 1 | 10.0 | 2Y | ○ |
| 児 | 1 | AW-115 | 4,840 | × | 760 | 1 | 3.7 | 2Y | |
| 児 | 1 | AW-116 | 4,940 | × | 760 | 1 | 3.8 | 2Y | |
| 児 | 1 | AW-117 | 4,680 | × | 760 | 1 | 3.6 | 2Y | |
| 児 | 1 | AW-118 | 7,380 | × | 2,570 | 1 | 19.0 | 2Y | ○ |
| 児 | 1 | AW-119Z | 4,740 | × | 2,860 | 1 | 13.6 | 2Y | |
| 児 | 1 | AW-120 | 4,840 | × | 760 | 1 | 3.7 | 2Y | |
| 児 | 1 | AW-121 | 912.5 | × | 2,860 | 1 | 2.6 | 2Y | |
| 児 | 1 | AW-122 | 1,500 | × | 2,860 | 1 | 4.3 | 2Y | |
| 児 | 1 | AW-123Z | 2,280 | × | 760 | 1 | 1.7 | 2Y | |
| 児 | 1 | AW-124 | 800 | × | 2,060 | 1 | 1.6 | 2Y | |
| 児 | 1 | AW-125Z | 1,100 | × | 950 | 1 | 1.0 | 2Y | ○ |
| 児 | 1 | AW-126 | 1,860 | × | 3,585 | 1 | 6.7 | 2Y | |
| 児 | 1 | AG-101 | 1,165 | × | 3,130 | 1 | 3.6 | 2Y | |
| 児 | 2 | AD-201A | 4,870 | × | 2,900 | 1 | 14.1 | 2Y | ○ |
| 児 | 2 | AD-201B | 4,870 | × | 2,960 | 1 | 14.4 | 2Y | ○ |
| 児 | 2 | AD-202 | 4,680 | × | 2,960 | 1 | 13.9 | 2Y | ○ |

● Y : ●回/年

| 設置箇所 | | 建具符号 | 寸法 (mm) | | | 数量 | 面積 (㎡) | 清掃頻度 | 網戸設置箇所 |
|------|---|----------|---------|---|-------|----|--------|------|--------|
| 棟 | 階 | | W | × | H | | | | |
| 児 | 2 | AD-203 | 2,215 | × | 2,900 | 1 | 6.4 | 2Y | ○ |
| 児 | 2 | AD-204 | 3,010 | × | 1,997 | 1 | 6.0 | | |
| 児 | 2 | AD-205 | 800 | × | 2,927 | 1 | 2.3 | 2Y | |
| 児 | 2 | AW-201 | 10,550 | × | 1,160 | 1 | 12.2 | 2Y | ○ |
| 児 | 2 | AW-202Z | 1,500 | × | 1,470 | 1 | 2.2 | 2Y | ○ |
| 児 | 2 | AW-203Z | 5,945 | × | 1,760 | 1 | 10.5 | | |
| 児 | 2 | AW-204Z | 4,940 | × | 2,010 | 1 | 9.9 | 2Y | ○ |
| 児 | 2 | AW-205 | 4,680 | × | 2,010 | 1 | 9.4 | 2Y | ○ |
| 児 | 2 | AW-206Z | 4,740 | × | 1,470 | 2 | 13.9 | 2Y | ○ |
| 児 | 2 | AW-206AZ | 4,940 | × | 1,470 | 1 | 7.3 | 2Y | ○ |
| 児 | 2 | AW-206BZ | 2,259 | × | 1,470 | 1 | 3.3 | 2Y | ○ |
| 児 | 2 | AW-207Z | 3,374.5 | × | 1,560 | 1 | 5.3 | 2Y | ○ |
| 児 | 2 | AW-208Z | 2,173 | × | 1,670 | 1 | 3.6 | 2Y | |
| 児 | 2 | AW-209 | 2,000 | × | 1,660 | 1 | 3.3 | 2Y | ○ |
| 児 | 2 | AW-209A | 2,000 | × | 1,660 | 1 | 3.3 | 2Y | ○ |
| 児 | 2 | AW-210 | 1,700 | × | 1,660 | 1 | 2.8 | 2Y | ○ |
| 児 | 2 | AW-211 | 1,972.5 | × | 1,660 | 1 | 3.3 | 2Y | ○ |
| 児 | 2 | AW-211A | 1,972.5 | × | 1,660 | 1 | 3.3 | 2Y | ○ |
| 児 | 2 | AW-212 | 1,950 | × | 1,660 | 12 | 38.8 | 2Y | ○ |
| 児 | 2 | AW-212A | 1,950 | × | 1,660 | 11 | 35.6 | 2Y | ○ |
| 児 | 2 | AW-213 | 1,950 | × | 1,660 | 2 | 6.5 | 2Y | ○ |
| 児 | 2 | AW-213A | 1,950 | × | 1,660 | 2 | 6.5 | 2Y | ○ |
| 児 | 2 | AW-214 | 1,950 | × | 1,660 | 1 | 3.2 | 2Y | ○ |
| 児 | 2 | AW-215 | 1,843 | × | 1,660 | 1 | 3.1 | 2Y | ○ |
| 児 | 2 | AW-215A | 1,843 | × | 1,660 | 1 | 3.1 | 2Y | ○ |
| 児 | 2 | AW-216 | 1,820 | × | 1,660 | 1 | 3.0 | 2Y | ○ |
| 児 | 2 | AW-216A | 1,820 | × | 1,660 | 1 | 3.0 | 2Y | ○ |
| 児 | 2 | AW-217 | 1,820 | × | 1,660 | 2 | 6.0 | 2Y | ○ |
| 児 | 2 | AW-217A | 1,820 | × | 1,660 | 1 | 3.0 | 2Y | ○ |
| 児 | 2 | AW-218 | 1,950 | × | 1,660 | 1 | 3.2 | 2Y | ○ |
| 児 | 2 | AW-218A | 1,950 | × | 1,660 | 1 | 3.2 | 2Y | ○ |
| 児 | 2 | AW-219 | 4,940 | × | 2,070 | 1 | 10.2 | 2Y | ○ |
| 児 | 2 | AW-220 | 1,600 | × | 1,760 | 2 | 5.6 | 2Y | ○ |
| 児 | 2 | AW-221 | 600 | × | 2,430 | 2 | 2.9 | 2Y | |
| 児 | 2 | AW-222 | 600 | × | 1,228 | 1 | 0.7 | 2Y | |
| 児 | 2 | AW-223 | 800 | × | 1,360 | 2 | 2.2 | 2Y | |
| 児 | 2 | AW-224 | 450 | × | 1,160 | 5 | 2.6 | 2Y | |
| 児 | 2 | AW-225 | 4,940 | × | 2,010 | 3 | 29.8 | 2Y | ○ |
| 児 | 2 | AW-226 | 3,375 | × | 2,530 | 1 | 8.5 | 2Y | |
| 児 | 2 | AW-227 | 3,890 | × | 1,560 | 2 | 12.1 | 2Y | ○ |
| 児 | 2 | AW-228 | 850 | × | 900 | 1 | 0.8 | | |
| 児 | 3 | AD-301 | 2,115 | × | 2,360 | 1 | 5.0 | 2Y | ○ |
| 児 | 3 | AD-302 | 4,680 | × | 2,590 | 1 | 12.1 | 2Y | ○ |
| 児 | 3 | AD-303 | 2,215 | × | 2,657 | 1 | 5.9 | 2Y | ○ |
| 児 | 3 | AD-304 | 7,580 | × | 2,590 | 1 | 19.6 | 2Y | |
| 児 | 3 | AW-301 | 10,550 | × | 1,560 | 1 | 16.5 | 2Y | ○ |
| 児 | 3 | AW-302 | 7,680 | × | 1,560 | 1 | 12.0 | 2Y | ○ |
| 児 | 3 | AW-303A | 4,740 | × | 1,560 | 1 | 7.4 | 2Y | ○ |
| 児 | 3 | AW-303AA | 4,740 | × | 1,560 | 1 | 7.4 | 2Y | ○ |
| 児 | 3 | AW-303B | 4,740 | × | 1,560 | 1 | 7.4 | 2Y | ○ |
| 児 | 3 | AW-304 | 4,740 | × | 1,560 | 2 | 14.8 | 2Y | ○ |
| 児 | 3 | AW-305A | 1,705 | × | 1,560 | 1 | 2.7 | 2Y | ○ |
| 児 | 3 | AW-305B | 512.5 | × | 760 | 1 | 0.4 | 2Y | |
| 児 | 3 | AW-306z | 4,940 | × | 850 | 1 | 4.2 | 2Y | ○ |
| 児 | 3 | AW-307 | 4,940 | × | 1,560 | 1 | 7.7 | 2Y | ○ |

● Y : ●回/年

| 設置箇所 | | 建具符号 | 寸法 (mm) | | | 数量 | 面積 (㎡) | 清掃頻度 | 網戸設置箇所 |
|------|---|---------|---------|---|-------|----|--------|------|--------|
| 棟 | 階 | | W | × | H | | | | |
| 児 | 3 | AW-308 | 4,940 | × | 1,560 | 1 | 7.7 | 2Y | ○ |
| 児 | 3 | AW-308A | 4,740 | × | 1,560 | 1 | 7.4 | 2Y | ○ |
| 児 | 3 | AW-309 | 4,680 | × | 850 | 1 | 4.0 | 2Y | ○ |
| 児 | 3 | AW-310 | 4,680 | × | 1,560 | 1 | 7.3 | 2Y | ○ |
| 児 | 3 | AW-311 | 3,120 | × | 1,560 | 1 | 4.9 | 2Y | ○ |
| 児 | 3 | AW-312 | 4,940 | × | 850 | 3 | 12.6 | 2Y | ○ |
| 児 | 3 | AW-314 | 600 | × | 2,330 | 2 | 2.8 | 2Y | |
| 児 | 3 | AW-315 | 600 | × | 2,330 | 1 | 1.4 | 2Y | |
| 児 | 3 | AW-316 | 600 | × | 1,360 | 2 | 1.6 | 2Y | |
| 児 | 3 | AW-317 | 1,875 | × | 900 | 1 | 1.7 | | |
| 児 | 3 | AW-318 | 5,230 | × | 1,560 | 1 | 8.2 | | |
| 児 | 3 | AW-319 | 2,150 | × | 1,560 | 1 | 3.4 | 2Y | ○ |
| 児 | 3 | AW-801 | 3,574 | × | 540 | 2 | 3.9 | 2Y | |
| 児 | 3 | AW-802 | 4,560 | × | 540 | 1 | 2.5 | 2Y | |
| 児 | 3 | AG-801 | 2,300 | × | 800 | 1 | 1.8 | 2Y | |
| 児 | 3 | AG-802 | 900 | × | 900 | 2 | 1.6 | 2Y | |
| 者 | 1 | AD-501 | 1,830 | × | 3,000 | 1 | 5.5 | 2Y | |
| 者 | 1 | AD-502 | 7,310 | × | 3,460 | 1 | 25.3 | 2Y | ○ |
| 者 | 1 | AD-503 | 6,940 | × | 2,860 | 1 | 19.8 | 2Y | ○ |
| 者 | 1 | AD-504 | 6,940 | × | 2,960 | 1 | 20.5 | 2Y | ○ |
| 者 | 1 | AD-505 | 1,600 | × | 2,957 | 1 | 4.7 | 2Y | |
| 者 | 1 | AD-506 | 4,240 | × | 2,982 | 1 | 12.6 | 2Y | |
| 者 | 1 | AD-507 | 1,250 | × | 2,957 | 1 | 3.7 | 2Y | |
| 者 | 1 | AW-501 | 7,940 | × | 2,160 | 1 | 17.2 | 2Y | ○ |
| 者 | 1 | AW-502 | 6,940 | × | 2,160 | 1 | 15.0 | 2Y | ○ |
| 者 | 1 | AW-503 | 6,580 | × | 2,160 | 2 | 28.4 | 2Y | ○ |
| 者 | 1 | AW-504 | 5,525 | × | 2,160 | 1 | 11.9 | 2Y | ○ |
| 者 | 1 | AW-505 | 3,670 | × | 2,160 | 1 | 7.9 | 2Y | ○ |
| 者 | 1 | AW-506 | 4,940 | × | 2,160 | 1 | 10.7 | 2Y | ○ |
| 者 | 1 | AW-507 | 4,580 | × | 2,520 | 1 | 11.5 | 2Y | ○ |
| 者 | 1 | AW-508 | 3,492 | × | 2,160 | 1 | 7.5 | 2Y | ○ |
| 者 | 1 | AW-509 | 7,370 | × | 1,360 | 1 | 10.0 | 2Y | |
| 者 | 1 | AW-510 | 1,600 | × | 2,160 | 1 | 3.5 | 2Y | ○ |
| 者 | 1 | AW-511 | 2,000 | × | 1,000 | 1 | 2.0 | 2Y | ○ |
| 者 | 1 | AG-501 | 450 | × | 2,200 | 2 | 2.0 | 2Y | |
| 者 | 1 | AD-601 | 3,215 | × | 2,560 | 3 | 24.7 | 2Y | ○ |
| 者 | 1 | AD-602 | 3,215 | × | 2,660 | 1 | 8.6 | 2Y | ○ |
| 者 | 1 | AD-603 | 1,800 | × | 2,657 | 1 | 4.8 | 2Y | |
| 者 | 1 | AD-604 | 600 | × | 2,000 | 1 | 1.2 | 2Y | |
| 者 | 1 | AD-605 | 2,720 | × | 2,097 | 1 | 5.7 | | |
| 者 | 1 | AW-601 | 10,130 | × | 1,660 | 1 | 16.8 | 2Y | |
| 者 | 2 | AW-602 | 3,995 | × | 1,500 | 1 | 6.0 | 2Y | ○ |
| 者 | 2 | AW-603 | 3,275 | × | 1,260 | 1 | 4.1 | 2Y | ○ |
| 者 | 2 | AW-604 | 2,820 | × | 1,660 | 10 | 46.8 | 2Y | ○ |
| 者 | 2 | AW-605 | 1,950 | × | 1,660 | 6 | 19.4 | 2Y | ○ |
| 者 | 2 | AW-605A | 1,950 | × | 1,660 | 6 | 19.4 | 2Y | ○ |
| 者 | 2 | AW-606 | 1,835 | × | 1,660 | 1 | 3.0 | 2Y | ○ |
| 者 | 2 | AW-606A | 1,835 | × | 1,660 | 1 | 3.0 | 2Y | ○ |
| 者 | 2 | AW-607 | 800 | × | 1,500 | 1 | 1.2 | 2Y | |
| 者 | 2 | AW-608 | 600 | × | 1,460 | 1 | 0.9 | 2Y | |
| 付 | 1 | AD-201A | 2,300 | × | 2,000 | 1 | 4.6 | 1Y | |
| 付 | 1 | AD-201B | 2,300 | × | 2,000 | 1 | 4.6 | 1Y | |
| 付 | 1 | AD-201C | 2,300 | × | 2,000 | 1 | 4.6 | 1Y | |
| 付 | 1 | AD-202A | 1,110 | × | 2,400 | 1 | 2.7 | 1Y | |
| 付 | 1 | AD-202B | 1,110 | × | 2,400 | 1 | 2.7 | 1Y | |

● Y : ●回/年

| 設置箇所 | | 建具符号 | 寸法 (mm) | | | 数量 | 面積 (㎡) | 清掃頻度 | 網戸設置箇所 |
|------|---|---------|---------|---|-------|----|--------|------|--------|
| 棟 | 階 | | W | × | H | | | | |
| 付 | 1 | AD-202C | 1,110 | × | 2,200 | 2 | 4.9 | 1Y | |
| 付 | 1 | AW-201A | 2,310 | × | 900 | 1 | 2.1 | 1Y | ○ |
| 付 | 1 | AW-201B | 2,310 | × | 1,200 | 1 | 2.8 | 1Y | ○ |
| 付 | 1 | AW-201C | 2,310 | × | 1,200 | 1 | 2.8 | 1Y | ○ |
| 付 | 1 | AW-202 | 1,110 | × | 1,200 | 1 | 1.3 | 1Y | ○ |
| 付 | 1 | AG-201A | 1,110 | × | 300 | 1 | 0.3 | 1Y | |
| 付 | 1 | AG-201B | 1,110 | × | 300 | 1 | 0.3 | 1Y | |
| 付 | 1 | PW-1 | 2,340 | × | 1,200 | 1 | 2.8 | 1Y | ○ |